



## HANDTAP METRISCH FIJN, 1E TAP



Omschrijving

Kenmerken

- 1e Handtap Metrisch Fijn DIN 13
- Din 2181
- HSS-G



Varianten (147)

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10207-857	26308-1	Mf 3,0	Mf 3,0	40,0	3,5	40,0	9,0	2,7	0,35
41-10207-860	26310-1	Mf 4,0	Mf 4,0	45,0	4,5	45,0	10,0	3,4	0,35
41-10207-863	26312-1	Mf 4,0	Mf 4,0	45,0	4,5	45,0	10,0	3,4	0,50
41-10207-867	26314-1	Mf 5,0	Mf 5,0	50,0	6,0	50,0	12,0	4,9	0,50
41-10207-870	26316-1	Mf 5,0	Mf 5,0	50,0	6,0	50,0	12,0	4,9	0,75
41-10207-873	26317-1	Mf 6,0	Mf 6,0	50,0	6,0	50,0	14,0	4,9	0,50
41-10207-876	10101	Mf 6,0	Mf 6,0	50,0	6,0	50,0	14,0	4,9	0,75
41-10207-879	26320-1	Mf 7,0	Mf 7,0	50,0	6,0	50,0	14,0	4,9	0,75
41-10207-882	26322-1	Mf 8,0	Mf 8,0	50,0	6,0	50,0	19,0	4,9	0,50
41-10207-885	26324-1	Mf 8,0	Mf 8,0	50,0	6,0	50,0	19,0	4,9	0,75
41-10207-888	26326-1	Mf 8,0	Mf 8,0	56,0	6,0	56,0	22,0	4,9	1,00
41-10207-891	26328-1	Mf 9,0	Mf 9,0	56,0	7,0	56,0	19,0	5,5	0,75
41-10207-894	26330-1	Mf 9,0	Mf 9,0	63,0	7,0	63,0	20,0	5,5	1,00
41-10207-897	26332-1	Mf 10,0	Mf 10,0	63,0	7,0	63,0	20,0	5,5	0,75
41-10207-900	26336-1	Mf 10,0	Mf 10,0	63,0	7,0	63,0	20,0	5,5	1,00
41-10207-903	26338-1	Mf 10,0	Mf 10,0	70,0	7,0	70,0	24,0	5,5	1,25

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10207-906	26339-1	Mf 11,0	Mf 11,0	63,0	8,0	63,0	20,0	6,2	0,75
41-10207-909	26340-1	Mf 11,0	Mf 11,0	63,0	8,0	63,0	20,0	6,2	1,00
41-10207-912	26342-1	Mf 11,0	Mf 11,0	63,0	8,0	63,0	22,0	6,2	1,25
41-10207-915	26343-1	Mf 12,0	Mf 12,0	70,0	9,0	70,0	22,0	7,0	0,75
41-10207-918	26344-1	Mf 12,0	Mf 12,0	70,0	9,0	70,0	22,0	7,0	1,00
41-10207-921	26346-1	Mf 12,0	Mf 12,0	70,0	9,0	70,0	22,0	7,0	1,25
41-10207-924	26348-1	Mf 12,0	Mf 12,0	70,0	9,0	70,0	22,0	7,0	1,50
41-10207-927	26350-1	Mf 13,0	Mf 13,0	70,0	11,0	70,0	22,0	9,0	1,00
41-10207-930	26351-1	Mf 13,0	Mf 13,0	70,0	11,0	70,0	22,0	9,0	1,50
41-10207-933	26352-1	Mf 14,0	Mf 14,0	70,0	11,0	70,0	22,0	9,0	0,75
41-10207-936	26353-1	Mf 14,0	Mf 14,0	70,0	11,0	70,0	22,0	9,0	1,00
41-10207-939	10119	Mf 14,0	Mf 14,0	70,0	11,0	70,0	22,0	9,0	1,75
41-10207-942	26356-1	Mf 14,0	Mf 14,0	70,0	11,0	70,0	22,0	9,0	1,50
41-10207-945	26358-1	Mf 15,0	Mf 15,0	70,0	12,0	70,0	22,0	9,0	1,00
41-10207-948	26360-1	Mf 15,0	Mf 15,0	70,0	12,0	70,0	22,0	9,0	1,50
41-10207-951	26362-1	Mf 16,0	Mf 16,0	70,0	12,0	70,0	22,0	9,0	1,00
41-10207-954	26364-1	Mf 16,0	Mf 16,0	70,0	12,0	70,0	22,0	9,0	1,25
41-10207-957	26366-1	Mf 16,0	Mf 16,0	70,0	12,0	70,0	22,0	9,0	1,50
41-10207-960	26370-1	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	1,00
41-10207-963	26371-1	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	1,25
41-10207-966	10128	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	1,50
41-10207-969	26374-1	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	2,00
41-10207-972	26378-1	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	1,00
41-10207-975	26380-1	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	1,25
41-10207-978	26384-1	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	1,50
41-10207-981	26386-1	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	2,00
41-10207-984	26388-1	Mf 21,0	Mf 21,0	80,0	16,0	80,0	22,0	12,0	1,50
41-10207-987	26390-1	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	1,00
41-10207-990	26392-1	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	1,25
41-10207-993	10134	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	1,50
41-10207-996	26396-1	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	2,00

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10207-999	26398-1	Mf 23,0	Mf 23,0	80,0	18,0	80,0	22,0	14,5	1,50
41-10208-002	26500-1	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	1,00
41-10208-005	26502-1	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	1,25
41-10208-008	26504-1	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	1,50
41-10208-011	26506-1	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	2,00
41-10208-014	26507-1	Mf 25,0	Mf 25,0	90,0	18,0	90,0	22,0	14,5	1,00
41-10208-017	26508-1	Mf 25,0	Mf 25,0	90,0	18,0	90,0	22,0	14,5	1,50
41-10208-020	26510-1	Mf 26,0	Mf 26,0	90,0	18,0	90,0	22,0	14,5	1,00
41-10208-023	26512-1	Mf 26,0	Mf 26,0	90,0	18,0	90,0	22,0	14,5	1,50
41-10208-026	26514-1	Mf 26,0	Mf 26,0	90,0	18,0	90,0	22,0	14,5	2,00
41-10208-029	26516-1	Mf 27,0	Mf 27,0	90,0	20,0	90,0	22,0	16,0	1,00
41-10208-032	26517-1	Mf 27,0	Mf 27,0	90,0	20,0	90,0	22,0	16,0	1,50
41-10208-035	26518-1	Mf 27,0	Mf 27,0	90,0	20,0	90,0	22,0	16,0	2,00
41-10208-038	26520-1	Mf 28,0	Mf 28,0	90,0	20,0	90,0	22,0	16,0	1,00
41-10208-041	26522-1	Mf 28,0	Mf 28,0	90,0	20,0	90,0	22,0	16,0	1,50
41-10208-044	26524-1	Mf 28,0	Mf 28,0	90,0	20,0	90,0	22,0	16,0	2,00
41-10208-047	26526-1	Mf 29,0	Mf 29,0	90,0	22,0	90,0	22,0	18,0	1,50
41-10208-050	26528-1	Mf 30,0	Mf 30,0	90,0	22,0	90,0	22,0	18,0	1,00
41-10208-053	26530-1	Mf 30,0	Mf 30,0	90,0	22,0	90,0	22,0	18,0	1,50
41-10208-056	26532-1	Mf 30,0	Mf 30,0	90,0	22,0	90,0	22,0	18,0	2,00
41-10208-059	26533-1	Mf 30,0	Mf 30,0	125,0	22,0	125,0	56,0	18,0	2,50
41-10208-062	26534-1	Mf 30,0	Mf 30,0	125,0	22,0	125,0	56,0	18,0	3,00
41-10208-065	26535-1	Mf 32,0	Mf 32,0	90,0	22,0	90,0	22,0	18,0	2,00
41-10208-068	26536-1	Mf 32,0	Mf 32,0	90,0	22,0	90,0	22,0	18,0	1,50
41-10208-071	26537-1	Mf 32,0	Mf 32,0	125,0	22,0	125,0	56,0	18,0	3,00
41-10208-074	26538-1	Mf 33,0	Mf 33,0	100,0	25,0	100,0	25,0	20,0	1,50
41-10208-077	26540-1	Mf 33,0	Mf 33,0	100,0	25,0	100,0	25,0	20,0	2,00
41-10208-080	26542-1	Mf 33,0	Mf 33,0	125,0	25,0	125,0	56,0	20,0	3,00
41-10208-083	26544-1	Mf 34,0	Mf 34,0	100,0	28,0	100,0	25,0	22,0	1,50
41-10208-086	26546-1	Mf 34,0	Mf 34,0	125,0	28,0	125,0	40,0	22,0	2,00
41-10208-089	26548-1	Mf 35,0	Mf 35,0	100,0	28,0	100,0	25,0	22,0	1,50

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10208-092	26550-1	Mf 36,0	Mf 36,0	100,0	28,0	100,0	25,0	22,0	1,50
41-10208-095	26552-1	Mf 36,0	Mf 36,0	125,0	28,0	125,0	40,0	22,0	2,00
41-10208-098	26554-1	Mf 36,0	Mf 36,0	125,0	28,0	125,0	40,0	22,0	3,00
41-10208-101	26556-1	Mf 38,0	Mf 38,0	100,0	28,0	100,0	25,0	22,0	1,50
41-10208-104	26558-1	Mf 39,0	Mf 39,0	110,0	32,0	110,0	25,0	24,0	1,50
41-10208-107	26560-1	Mf 39,0	Mf 39,0	125,0	32,0	125,0	40,0	24,0	2,00
41-10208-110	26562-1	Mf 39,0	Mf 39,0	125,0	32,0	125,0	40,0	24,0	3,00
41-10208-113	26564-1	Mf 40,0	Mf 40,0	110,0	32,0	110,0	25,0	24,0	1,50
41-10208-116	26566-1	Mf 40,0	Mf 40,0	125,0	32,0	125,0	40,0	24,0	2,00
41-10208-119	26568-1	Mf 40,0	Mf 40,0	125,0	32,0	125,0	40,0	24,0	3,00
41-10208-122	26570-1	Mf 42,0	Mf 42,0	110,0	32,0	110,0	25,0	24,0	1,50
41-10208-125	26572-1	Mf 42,0	Mf 42,0	125,0	32,0	125,0	40,0	24,0	2,00
41-10208-128	26574-1	Mf 42,0	Mf 42,0	125,0	32,0	125,0	40,0	24,0	3,00
41-10208-131	26576-1	Mf 45,0	Mf 45,0	110,0	36,0	110,0	25,0	29,0	1,50
41-10208-134	26578-1	Mf 45,0	Mf 45,0	125,0	36,0	125,0	40,0	29,0	2,00
41-10208-137	26580-1	Mf 45,0	Mf 45,0	125,0	36,0	125,0	40,0	29,0	3,00
41-10208-140	26582-1	Mf 48,0	Mf 48,0	140,0	36,0	140,0	40,0	29,0	1,50
41-10208-143	26584-1	Mf 48,0	Mf 48,0	140,0	36,0	140,0	40,0	29,0	2,00
41-10208-146	26586-1	Mf 48,0	Mf 48,0	140,0	36,0	140,0	40,0	29,0	3,00
41-10208-149	26588-1	Mf 50,0	Mf 50,0	140,0	36,0	140,0	40,0	29,0	1,50
41-10208-152	26590-1	Mf 50,0	Mf 50,0	140,0	36,0	140,0	40,0	29,0	2,00
41-10208-155	26592-1	Mf 50,0	Mf 50,0	140,0	36,0	140,0	40,0	29,0	3,00
41-10208-158	26594-1	Mf 52,0	Mf 52,0	140,0	40,0	140,0	40,0	32,0	1,50
41-10208-161	26596-1	Mf 52,0	Mf 52,0	140,0	40,0	140,0	40,0	32,0	2,00
41-10208-164	26598-1	Mf 52,0	Mf 52,0	140,0	40,0	140,0	40,0	32,0	3,00
41-10218-329	26304-1	Mf 2,5	Mf 2,5	40,0	2,8	40,0	9,0	2,1	0,35
41-10218-333	26305-1	Mf 2,6	Mf 2,6	40,0	2,8	40,0	9,0	2,1	0,35
41-10218-344	26309-1	Mf 3,5	Mf 3,5	45,0	4,0	45,0	10,0	3,0	0,35
41-10218-347	26315-1	Mf 5,5	Mf 5,5	50,0	6,0	50,0	12,0	4,9	0,50
41-10218-350	26319-1	Mf 7,0	Mf 7,0	50,0	6,0	50,0	14,0	4,9	0,50
41-10218-353	26327-1	Mf 9,0	Mf 9,0	56,0	7,0	56,0	19,0	5,5	0,50

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10218-356	26331-1	Mf 10,0	Mf 10,0	63,0	7,0	63,0	20,0	5,5	0,50
41-10218-359	26345-1	Mf 12,0	Mf 12,0	70,0	9,0	70,0	22,0	7,0	0,50
41-10218-362	26347-1	Mf 13,0	Mf 13,0	70,0	11,0	70,0	22,0	9,0	0,50
41-10218-365	26349-1	Mf 13,0	Mf 13,0	70,0	11,0	70,0	22,0	9,0	0,75
41-10218-368	26355-1	Mf 14,0	Mf 14,0	70,0	11,0	70,0	22,0	9,0	0,50
41-10218-371	26357-1	Mf 15,0	Mf 15,0	70,0	12,0	70,0	22,0	9,0	0,75
41-10218-374	26361-1	Mf 16,0	Mf 16,0	70,0	12,0	70,0	22,0	9,0	0,50
41-10218-377	26363-1	Mf 16,0	Mf 16,0	70,0	12,0	70,0	22,0	9,0	0,75
41-10218-380	26367-1	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	0,50
41-10218-383	26368-1	Mf 17,0	Mf 17,0	70,0	12,0	70,0	22,0	9,0	1,00
41-10218-386	26369-1	Mf 17,0	Mf 17,0	70,0	12,0	70,0	22,0	9,0	1,50
41-10218-389	26373-1	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	0,75
41-10218-392	26375-1	Mf 19,0	Mf 19,0	80,0	16,0	80,0	22,0	11,0	1,00
41-10218-395	26376-1	Mf 19,0	Mf 19,0	80,0	14,0	80,0	22,0	11,0	1,50
41-10218-398	26377-1	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	0,50
41-10218-401	26379-1	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12	0,50
41-10218-404	26387-1	Mf 21,0	Mf 21,0	80,0	16,0	80,0	22,0	12,0	1,00
41-10218-407	26389-1	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	0,50
41-10218-410	26391-1	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	0,75
41-10218-413	26397-1	Mf 23,0	Mf 23,0	80,0	18,0	80,0	22,0	14,5	1,00
41-10218-416	26501-1	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	0,50
41-10218-419	26503-1	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	0,75
41-10218-422	26539-1	Mf 32,0	Mf 32,0	90,0	22,0	90,0	22,0	18,0	1,00
41-10218-425	26543-1	Mf 34,0	Mf 34,0	100,0	28,0	100,0	25,0	22,0	1,00
41-10218-428	26547-1	Mf 35,0	Mf 35,0	100,0	28,0	100,0	25,0	22,0	1,00
41-10218-431	26549-1	Mf 35,0	Mf 35,0	125,0	28,0	125,0	40,0	22,0	2,00
41-10218-434	26551-1	Mf 36,0	Mf 36,0	100,0	28,0	100,0	25,0	22,0	1,00
41-10218-437	26553-1	Mf 37,0	Mf 37,0	100,0	28,0	100,0	25,0	22,0	1,50
41-10218-440	26555-1	Mf 38,0	Mf 38,0	100,0	28,0	100,0	25,0	22,0	1,00
41-10218-443	26557-1	Mf 38,0	Mf 38,0	100,0	28,0	100,0	40,0	22,0	2,00
41-10218-446	26559-1	Mf 38,0	Mf 38,0	125,0	28,0	125,0	40,0	22,0	3,00

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10218-449	26563-1	Mf 40,0	Mf 40,0	110,0	32,0	110,0	25,0	24,0	1,00
41-10218-452	26569-1	Mf 42,0	Mf 42,0	110,0	32,0	110,0	25,0	24,0	1,00
41-10218-455	26571-1	Mf 44,0	Mf 44,0	110,0	36,0	110,0	25,0	29,0	1,50
41-10218-458	26573-1	Mf 44,0	Mf 44,0	125,0	36,0	125,0	40,0	29,0	2,00
41-10218-461	26575-1	Mf 45,0	Mf 45,0	110,0	36,0	110,0	25,0	29,0	1,00
41-10218-464	26581-1	Mf 46,0	Mf 46,0	140,0	36,0	140,0	40,0	29,0	1,50
41-10218-467	26583-1	Mf 48,0	Mf 48,0	140,0	36,0	140,0	40,0	29,0	1,00