



## HANDTAP UNF, 2E TAP



### Omschrijving

#### Kenmerken

- 2e Handtap UNF ANSI B 1.1
- Din 2181
- HSS-G
- Tolerantie 2B



### Varianten (25)

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10208-363	24300-3	Unf nr.0	Unf nr.0	28,0	2,5	28,0	8,0	2,1	80
41-10208-366	24301-3	Unf nr.1	Unf nr.1	32,0	2,8	32,0	9,0	2,1	72
41-10208-369	24302-3	Unf nr.2	Unf nr.2	32,0	2,8	32,0	10,0	2,1	64
41-10208-372	24303-3	Unf nr.3	Unf nr.3	32,0	2,8	32,0	10,0	2,1	56
41-10208-375	24304-3	Unf nr.4	Unf nr.4	36,0	3,5	36,0	11,0	2,7	48
41-10208-378	24305-3	Unf nr.5	Unf nr.5	36,0	3,5	36,0	11,0	2,7	44
41-10208-381	24306-3	Unf nr.6	Unf nr.6	40,0	4,5	40,0	12,0	3,4	40
41-10208-384	24308-3	Unf nr.8	Unf nr.8	40,0	4,5	40,0	12,0	3,4	36
41-10208-387	24310-3	Unf nr.10	Unf nr.10	45,0	6,0	45,0	14,0	4,9	32
41-10208-390	24312-3	Unf nr.12	Unf nr.12	50,0	6,0	50,0	14,0	4,9	28
41-10208-393	10629	Unf 1/4	Unf 1/4	50,0	6,0	50,0	18,0	4,9	28
41-10208-396	24316-3	Unf 5/16	Unf 5/16	56,0	6,0	56,0	22,0	4,9	24
41-10208-399	24318-3	Unf 3/8	Unf 3/8	63,0	7,0	63,0	22,0	5,5	24
41-10208-402	24320-3	Unf 7/16	Unf 7/16	63,0	8,0	63,0	22,0	6,2	20
41-10208-405	24322-3	Unf 1/2	Unf 1/2	75,0	9,0	75,0	24,0	7	20
41-10208-408	24324-3	Unf 9/16	Unf 9/16	80,0	11,0	80,0	28,0	9,0	18

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10208-411	24326-3	Unf 5/8	Unf 5/8	80,0	12,0	80,0	28,0	9,0	18
41-10208-414	24330-3	Unf 3/4	Unf 3/4	95,0	14,0	95,0	32,0	11,0	16
41-10208-417	24334-3	Unf 7/8	Unf 7/8	100,0	18,0	100,0	36,0	14,5	14
41-10208-420	24338-3	Unf 1" 6110"	Unf 1" 6110"	110,0	18,0	110,0	40,0	14,5	12
41-10208-423	24340-3	Unf 1" 6110"	Unf 1" 6110"	110,0	18,0	110,0	40,0	14,5	14
41-10208-426	24342-3	Unf 1.1/8	Unf 1.1/8	110,0	22,0	110,0	50,0	18,0	12
41-10208-429	24346-3	Unf 1.1/4	Unf 1.1/4	132,0	22,0	132,0	56,0	18,0	12
41-10208-432	24350-3	Unf 1.3/8	Unf 1.3/8	132,0	28,0	132,0	56,0	22,0	12
41-10208-435	24354-3	Unf 1.1/2	Unf 1.1/2	150,0	32,0	150,0	63,0	24,0	12