



## SPIRAALBOOR DIN345, MORSE CONUS

### Omschrijving

#### Kenmerken

- HS Staal
- Rechtssnijdend
- Type N
- Punthoek 118°
- Voor het boren in staal en gietijzer



### Varianten (101)

Artikelnummer	Artikelnummer fabrikant	Diameter (mm)	Boorlengte	Lengte totaal (mm)	MK
41-10216-974	14500301000	10,0	87	168	1
41-10216-975	14500301050	10,5	87	168	1
41-10216-976	14500301100	11	94	175	1
41-10216-977	14500301150	11,5	94	175	1
41-10216-978	14500301200	12	101	182	1
41-10216-979	14500301250	12,5	101	182	1
41-10216-980	14500301300	13,0	101	182	1
41-10212-222	14500301350	13,5	108	189	1
41-10212-223	14500301400	14,0	108	189	1
41-10212-224	14500301450	14,5	114	212	2
41-10212-225	14500301500	15,0	114	212	2
41-10212-226	14500301550	15,5	120	218	2
41-10212-227	14500301600	16,0	120	218	2
41-10212-228	14500301650	16,5	125	223	2
41-10212-229	14500301700	17,0	130	228	2
41-10212-230	14500301750	17,5	130	228	2
41-10212-231	14500301800	18,0	130	228	2
41-10212-232	14500301850	18,5	135	233	2
41-10211-948	14500301900	19,0	135	233	2

Artikelnummer	Artikelnummer fabrikant	Diameter (mm)	Boorlengte	Lengte totaal (mm)	MK
41-10211-949	14500301950	19,50	140	238	2
41-10211-950	14500302000	20,0	238	140	2
41-10211-951	14500302050	20,5	145	243	2
41-10211-952	14500302100	21,0	145	243	2
41-10211-953	14500302150	21,5	150	248	2
41-10211-954	14500302200	22,0	150	248	2
41-10211-955	14500302250	22,5	155	253	2
41-10211-956	14500302300	23,0	155	253	2
41-10211-957	14500302350	23,5	155	276	3
41-10211-958	14500302400	24,0	160	281	3
41-10211-959	14500302450	24,5	160	281	3
41-10211-960	14500302500	25,0	160	281	3
41-10211-961	14500302550	25,5	165	286	3
41-10216-981	14500302600	26	165	286	3
41-10216-982	14500302650	26,5	165	286	3
41-10216-983	14500302700	27,0	170	291	3
41-10216-984	14500302750	27,5	170	291	3
41-10216-985	14500302800	28,0	170	291	3
41-10216-986	14500302850	28,5	175	296	3
41-10216-987	14500302900	29,0	175	296	3
41-10216-988	14500302950	29,5	175	296	3
41-10216-989	14500303000	30	175	296	3
41-10216-990	14500303050	30,5	180	301	3
41-10216-991	14500303100	31,0	180	301	3
41-10216-992	14500303150	31,5	180	301	3
41-10216-993	14500303200	32	185	334	4
41-10216-994	14500303250	32,5	185	334	4
41-10216-995	14500303300	33,0	185	334	4
41-10216-996	14500303350	33,5	185	334	4
41-10216-997	14500303400	34,0	190	339	4
41-10216-998	14500303450	34,5	190	339	4
41-10216-999	14500303500	35,0	190	339	4

Artikelnummer	Artikelnummer fabrikant	Diameter (mm)	Boorlengte	Lengte totaal (mm)	MK
41-10217-000	14500303550	35,5	190	339	4
41-10217-001	14500303600	36,0	195	344	4
41-10217-002	14500303650	36,5	195	344	4
41-10217-003	14500303700	37,0	195	344	4
41-10217-004	14500303750	37,5	195	344	4
41-10217-005	14500303800	38,0	349	200	4
41-10217-006	14500303850	38,5	200	349	4
41-10217-007	14500303900	39,0	200	349	4
41-10217-008	14500303950	39,5	200	349	4
41-10217-009	14500304000	40,0	200	349	4
41-10217-010	14500304050	40,5	354	205	4
41-10217-011	14500304100	41	205	354	4
41-10217-012	14500304150	41,5	205	354	4
41-10217-013	14500304200	42	205	354	4
41-10217-014	14500304250	42,5	205	354	4
41-10217-015	14500304300	43,0	210	359	4
41-10217-016	14500304350	43,5	210	359	4
41-10217-017	14500304400	44,0	210	359	4
41-10217-018	14500304450	44,5	210	359	4
41-10217-019	14500304500	45,0	210	359	4
41-10217-020	14500304550	45,5	215	364	4
41-10217-021	14500304600	46,0	215	364	4
41-10217-022	14500304650	46,5	215	364	4
41-10217-023	14500304700	47,0	215	364	4
41-10217-024	14500304750	47,5	215	364	4
41-10217-025	14500304800	48	220	369	4
41-10217-026	14500304850	48,5	220	369	4
41-10217-027	14500304900	49,0	220	369	4
41-10217-028	14500304950	49,5	220	369	4
41-10217-029	14500305000	50,0	220	369	4
41-10217-030	14501505100	51,0	225	412	5
41-10217-031	14501505200	52,0	225	412	5

Artikelnummer	Artikelnummer fabrikant	Diameter (mm)	Boorlengte	Lengte totaal (mm)	MK
41-10217-032	14501505300	53,0	225	412	5
41-10217-033	14501505400	54,0	230	417	5
41-10217-034	14501505500	55,0	230	417	5
41-10217-035	14501505600	56,0	230	417	5
41-10217-036	14501505700	57,0	235	422	5
41-10217-037	14501505800	58,0	235	422	5
41-10217-038	14501505900	59,0	235	422	5
41-10217-039	14501506000	60,0	235	422	5
41-10217-851		5,00	133		
41-10217-907		5,50	138		
41-10217-908		6,00	138		
41-10217-909		6,50	150		
41-10217-910		7,00	150		
41-10217-911		7,50	150		
41-10217-912		8	156		
41-10217-913		8,50	156		
41-10217-914		9	162		
41-10217-915		9,5	195		