



## HANDTAP METRISCH FIJN, 2E TAP



### Omschrijving

#### Kenmerken

- 2e Handtap Metrisch Fijn DIN 13
- Din 2181
- HSS-G



### Varianten (147)

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10207-858	26308-2	Mf 3,0	Mf 3,0	40,0	3,5	40,0	9,0	2,7	0,35
41-10207-861	26310-2	Mf 4,0	Mf 4,0	45,0	4,5	45,0	10,0	3,4	0,35
41-10207-864	26312-2	Mf 4,0	Mf 4,0	45,0	4,5	45,0	10,0	3,4	0,50
41-10207-868	10153	Mf 5,0	Mf 5,0	50,0	6,0	50,0	12	4,9	0,50
41-10207-871	26316-2	Mf 5,0	Mf 5,0	50,0	6,0	50,0	12,0	4,9	0,75
41-10207-874	26317-2	Mf 6,0	Mf 6,0	50,0	6,0	50,0	14,0	4,9	0,50
41-10207-877	26318-2	Mf 6,0	Mf 6,0	50,0	6,0	50,0	14,0	4,9	0,75
41-10207-880	26320-2	Mf 7,0	Mf 7,0	50,0	6,0	50,0	14,0	4,9	0,75
41-10207-883	26322-2	Mf 8,0	Mf 8,0	50,0	6,0	50,0	19,0	4,9	0,50
41-10207-886	10105	Mf 8,0	Mf 8,0	50,0	6,0	50,0	19,0	4,9	0,75
41-10207-889	10108	Mf 8,0	Mf 8,0	56,0	6,0	56,0	22,0	4,9	1,00
41-10207-892	26328-2	Mf 9,0	Mf 9,0	56,0	7,0	56,0	19,0	5,5	0,75
41-10207-895	26330-2	Mf 9,0	Mf 9,0	63,0	7,0	63,0	20,0	5,5	1,00
41-10207-898	26332-2	Mf 10,0	Mf 10,0	63,0	7,0	63,0	20,0	5,5	0,75
41-10207-901	10111	Mf 10,0	Mf 10,0	63,0	7,0	63,0	20,0	5,5	1,00
41-10207-904	26338-2	Mf 10,0	Mf 10,0	70,0	7,0	70,0	24,0	5,5	1,25

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10207-907	26339-2	Mf 11,0	Mf 11,0	63,0	8,0	63,0	20,0	6,2	0,75
41-10207-910	26340-2	Mf 11,0	Mf 11,0	63,0	8,0	63,0	20,0	6,2	1,00
41-10207-913	26342-2	Mf 11,0	Mf 11,0	63,0	8,0	63,0	22,0	6,2	1,25
41-10207-916	26343-2	Mf 12,0	Mf 12,0	70,0	9,0	70,0	22,0	7,0	0,75
41-10207-919	26344-2	Mf 12,0	Mf 12,0	70,0	9,0	70,0	22,0	7,0	1,00
41-10207-922	26346-2	Mf 12,0	Mf 12,0	70,0	9,0	70,0	22,0	7,0	1,25
41-10207-925	26348-2	Mf 12,0	Mf 12,0	70,0	9,0	70,0	22,0	7,0	1,50
41-10207-928	26350-2	Mf 13,0	Mf 13,0	70,0	11,0	70,0	22,0	9,0	1,00
41-10207-931	26351-2	Mf 13,0	Mf 13,0	70,0	11,0	70,0	22,0	9,0	1,50
41-10207-934	26352-2	Mf 14,0	Mf 14,0	70,0	11,0	70,0	22,0	9,0	0,75
41-10207-937	26353-2	Mf 14,0	Mf 14,0	70,0	11,0	70,0	22,0	9,0	1,00
41-10207-940	26354-2	Mf 14,0	Mf 14,0	70,0	11,0	70,0	22,0	9,0	1,75
41-10207-943	26356-2	Mf 14,0	Mf 14,0	70,0	11,0	70,0	22,0	9,0	1,50
41-10207-946	26358-2	Mf 15,0	Mf 15,0	70,0	12,0	70,0	22,0	9,0	1,00
41-10207-949	26360-2	Mf 15,0	Mf 15,0	70,0	12,0	70,0	22,0	9,0	1,50
41-10207-952	26362-2	Mf 16,0	Mf 16,0	70,0	12,0	70,0	22,0	9,0	1,00
41-10207-955	26364-2	Mf 16,0	Mf 16,0	70,0	12,0	70,0	22,0	9,0	1,25
41-10207-958	10126	Mf 16,0	Mf 16,0	70,0	12,0	70,0	22,0	9,0	1,50
41-10207-961	26370-2	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	1,00
41-10207-964	26371-2	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	1,25
41-10207-967	10129	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	1,50
41-10207-970	26374-2	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	2,00
41-10207-973	26378-2	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	1,00
41-10207-976	26380-2	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	1,25
41-10207-979	26384-2	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	1,50
41-10207-982	26386-2	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	2,00
41-10207-985	26388-2	Mf 21,0	Mf 21,0	80,0	16,0	80,0	22,0	12,0	1,50
41-10207-988	26390-2	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	1,00
41-10207-991	26392-2	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	1,25
41-10207-994	10135	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	1,50
41-10207-997	26396-2	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	2,00

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10208-000	26398-2	Mf 23,0	Mf 23,0	80,0	18,0	80,0	22,0	14,5	1,50
41-10208-003	26500-2	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	1,00
41-10208-006	26502-2	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	1,25
41-10208-009	26504-2	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	1,50
41-10208-012	26506-2	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	2,00
41-10208-015	26507-2	Mf 25,0	Mf 25,0	90,0	18,0	90,0	22,0	14,5	1,00
41-10208-018	26508-2	Mf 25,0	Mf 25,0	90,0	18,0	90,0	22,0	14,5	1,50
41-10208-021	26510-2	Mf 26,0	Mf 26,0	90,0	18,0	90,0	22,0	14,5	1,00
41-10208-024	26512-2	Mf 26,0	Mf 26,0	90,0	18,0	90,0	22,0	14,5	1,50
41-10208-027	26514-2	Mf 26,0	Mf 26,0	90,0	18,0	90,0	22,0	14,5	2,00
41-10208-030	26516-2	Mf 27,0	Mf 27,0	90,0	20,0	90,0	22,0	16,0	1,00
41-10208-033	26517-2	Mf 27,0	Mf 27,0	90,0	20,0	90,0	22,0	16,0	1,50
41-10208-036	26518-2	Mf 27,0	Mf 27,0	90,0	20,0	90,0	22,0	16,0	2,00
41-10208-039	26520-2	Mf 28,0	Mf 28,0	90,0	20,0	90,0	22,0	16,0	1,00
41-10208-042	26522-2	Mf 28,0	Mf 28,0	90,0	20,0	90,0	22,0	16,0	1,50
41-10208-045	26524-2	Mf 28,0	Mf 28,0	90,0	20,0	90,0	22,0	16,0	2,00
41-10208-048	26526-2	Mf 29,0	Mf 29,0	90,0	22,0	90,0	22,0	18,0	1,50
41-10208-051	26528-2	Mf 30,0	Mf 30,0	90,0	22,0	90,0	22,0	18,0	1,00
41-10208-054	26530-2	Mf 30,0	Mf 30,0	90,0	22,0	90,0	22,0	18,0	1,50
41-10208-057	26532-2	Mf 30,0	Mf 30,0	90,0	22,0	90,0	22,0	18,0	2,00
41-10208-060	26533-2	Mf 30,0	Mf 30,0	125,0	22,0	125,0	56,0	18,0	2,50
41-10208-063	26534-2	Mf 30,0	Mf 30,0	125,0	22,0	125,0	56,0	18,0	3,00
41-10208-066	26535-2	Mf 32,0	Mf 32,0	90,0	22,0	90,0	22,0	18,0	2,00
41-10208-069	26536-2	Mf 32,0	Mf 32,0	90,0	22,0	90,0	22,0	18,0	1,50
41-10208-072	26537-2	Mf 32,0	Mf 32,0	125,0	22,0	125,0	56,0	18,0	3,00
41-10208-075	26538-2	Mf 33,0	Mf 33,0	100,0	25,0	100,0	25,0	20,0	1,50
41-10208-078	26540-2	Mf 33,0	Mf 33,0	100,0	25,0	100,0	25,0	20,0	2,00
41-10208-081	26542-2	Mf 33,0	Mf 33,0	125,0	25,0	125,0	56,0	20,0	3,00
41-10208-084	26544-2	Mf 34,0	Mf 34,0	100,0	28,0	100,0	25,0	22,0	1,50
41-10208-087	26546-2	Mf 34,0	Mf 34,0	125,0	28,0	125,0	40,0	22,0	2,00
41-10208-090	26548-2	Mf 35,0	Mf 35,0	100,0	28,0	100,0	25,0	22,0	1,50

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10208-093	26550-2	Mf 36,0	Mf 36,0	100,0	28,0	100,0	25,0	22,0	1,50
41-10208-096	26552-2	Mf 36,0	Mf 36,0	125,0	28,0	125,0	40,0	22,0	2,00
41-10208-099	26554-2	Mf 36,0	Mf 36,0	125,0	28,0	125,0	40,0	22,0	3,00
41-10208-102	26556-2	Mf 38,0	Mf 38,0	100,0	28,0	100,0	25,0	22,0	1,50
41-10208-105	26558-2	Mf 39,0	Mf 39,0	110,0	32,0	110,0	25,0	24,0	1,50
41-10208-108	26560-2	Mf 39,0	Mf 39,0	125,0	32,0	125,0	40,0	24,0	2,00
41-10208-111	26562-2	Mf 39,0	Mf 39,0	125,0	32,0	125,0	40,0	24,0	3,00
41-10208-114	26564-2	Mf 40,0	Mf 40,0	110,0	32,0	110,0	25,0	24,0	1,50
41-10208-117	26566-2	Mf 40,0	Mf 40,0	125,0	32,0	125,0	40,0	24,0	2,00
41-10208-120	26568-2	Mf 40,0	Mf 40,0	125,0	32,0	125,0	40,0	24,0	3,00
41-10208-123	26570-2	Mf 42,0	Mf 42,0	110,0	32,0	110,0	25,0	24,0	1,50
41-10208-126	26572-2	Mf 42,0	Mf 42,0	125,0	32,0	125,0	40,0	24,0	2,00
41-10208-129	26574-2	Mf 42,0	Mf 42,0	125,0	32,0	125,0	40,0	24,0	3,00
41-10208-132	26576-2	Mf 45,0	Mf 45,0	110,0	36,0	110,0	25,0	29,0	1,50
41-10208-135	26578-2	Mf 45,0	Mf 45,0	125,0	36,0	125,0	40,0	29,0	2,00
41-10208-138	26580-2	Mf 45,0	Mf 45,0	125,0	36,0	125,0	40,0	29,0	3,00
41-10208-141	26582-2	Mf 48,0	Mf 48,0	140,0	36,0	140,0	40,0	29,0	1,50
41-10208-144	26584-2	Mf 48,0	Mf 48,0	140,0	36,0	140,0	40,0	29,0	2,00
41-10208-147	26586-2	Mf 48,0	Mf 48,0	140,0	36,0	140,0	40,0	29,0	3,00
41-10208-150	26588-2	Mf 50,0	Mf 50,0	140,0	36,0	140,0	40,0	29,0	1,50
41-10208-153	26590-2	Mf 50,0	Mf 50,0	140,0	36,0	140,0	40,0	29,0	2,00
41-10208-156	26592-2	Mf 50,0	Mf 50,0	140,0	36,0	140,0	40,0	29,0	3,00
41-10208-159	26594-2	Mf 52,0	Mf 52,0	140,0	40,0	140,0	40,0	32,0	1,50
41-10208-162	26596-2	Mf 52,0	Mf 52,0	140,0	40,0	140,0	40,0	32,0	2,00
41-10208-165	26598-2	Mf 52,0	Mf 52,0	140,0	40,0	140,0	40,0	32,0	3,00
41-10218-330	26304-2	Mf 2,5	Mf 2,5	40,0	2,8	40,0	9,0	2,1	0,35
41-10218-342	26305-2	Mf 2,6	Mf 2,6	40,0	2,8	40,0	9,0	2,1	0,35
41-10218-345	26309-2	Mf 3,5	Mf 3,5	45,0	4,0	45,0	10,0	3,0	0,35
41-10218-348	26315-2	Mf 5,5	Mf 5,5	50,0	6,0	50,0	12,0	4,9	0,50
41-10218-351	26319-2	Mf 7,0	Mf 7,0	50,0	6,0	50,0	14,0	4,9	0,50
41-10218-354	26327-2	Mf 9,0	Mf 9,0	56,0	7,0	56,0	19,0	5,5	0,50

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10218-357	26331-2	Mf 10,0	Mf 10,0	63,0	7,0	63,0	20,0	5,5	0,50
41-10218-360	26345-2	Mf 12,0	Mf 12,0	70,0	9,0	70,0	22,0	7,0	0,50
41-10218-363	26347-2	Mf 13,0	Mf 13,0	70,0	11,0	70,0	22,0	9,0	0,50
41-10218-366	26349-2	Mf 13,0	Mf 13,0	70,0	11,0	70,0	22,0	9,0	0,75
41-10218-369	26355-2	Mf 14,0	Mf 14,0	70,0	11,0	70,0	22,0	9,0	0,50
41-10218-372	26357-2	Mf 15,0	Mf 15,0	70,0	12,0	70,0	22,0	9,0	0,75
41-10218-375	26361-2	Mf 16,0	Mf 16,0	70,0	12,0	70,0	22,0	9,0	0,50
41-10218-378	26363-2	Mf 16,0	Mf 16,0	70,0	12,0	70,0	22,0	9,0	0,75
41-10218-381	26367-2	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	0,50
41-10218-384	26368-2	Mf 17,0	Mf 17,0	70,0	12,0	70,0	22,0	9,0	1,00
41-10218-387	26369-2	Mf 17,0	Mf 17,0	70,0	12,0	70,0	22,0	9,0	1,50
41-10218-390	26373-2	Mf 18,0	Mf 18,0	80,0	14,0	80,0	22,0	11,0	0,75
41-10218-393	26375-2	Mf 19,0	Mf 19,0	80,0	16,0	80,0	22,0	11,0	1,00
41-10218-396	26376-2	Mf 19,0	Mf 19,0	80,0	14,0	80,0	22,0	11,0	1,50
41-10218-399	26377-2	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	0,50
41-10218-402	26379-2	Mf 20,0	Mf 20,0	80,0	16,0	80,0	22,0	12,0	0,50
41-10218-405	26387-2	Mf 21,0	Mf 21,0	80,0	16,0	80,0	22,0	12,0	1,00
41-10218-408	26389-2	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	0,50
41-10218-411	26391-2	Mf 22,0	Mf 22,0	80,0	18,0	80,0	22,0	14,5	0,75
41-10218-414	26397-2	Mf 23,0	Mf 23,0	80,0	18,0	80,0	22,0	14,5	1,00
41-10218-417	26501-2	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	0,50
41-10218-420	26503-2	Mf 24,0	Mf 24,0	90,0	18,0	90,0	22,0	14,5	0,75
41-10218-423	26539-2	Mf 32,0	Mf 32,0	90,0	22,0	90,0	22,0	18,0	1,00
41-10218-426	26543-2	Mf 34,0	Mf 34,0	100,0	28,0	100,0	25,0	22,0	1,00
41-10218-429	26547-2	Mf 35,0	Mf 35,0	100,0	28,0	100,0	25,0	22,0	1,00
41-10218-432	26549-2	Mf 35,0	Mf 35,0	125,0	28,0	125,0	40,0	22,0	2,00
41-10218-435	26551-2	Mf 36,0	Mf 36,0	100,0	28,0	100,0	25,0	22,0	1,00
41-10218-438	26553-2	Mf 37,0	Mf 37,0	100,0	28,0	100,0	25,0	22,0	1,50
41-10218-441	26555-2	Mf 38,0	Mf 38,0	100,0	28,0	100,0	25,0	22,0	1,00
41-10218-444	26557-2	Mf 38,0	Mf 38,0	100,0	28,0	100,0	40,0	22,0	2,00
41-10218-447	26559-2	Mf 38,0	Mf 38,0	125,0	28,0	125,0	40,0	22,0	3,00

Artikelnummer	Artikelnummer fabrikant	Schroefdraad	Schroefdraad	Taplengte	Kolfdiameter	Taplengte	Tapdiepte	Opname (mm)	Spoed
41-10218-450	26563-2	Mf 40,0	Mf 40,0	110,0	32,0	110,0	25,0	24,0	1,00
41-10218-453	26569-2	Mf 42,0	Mf 42,0	110,0	32,0	110,0	25,0	24,0	1,00
41-10218-456	26571-2	Mf 44,0	Mf 44,0	110,0	36,0	110,0	25,0	29,0	1,50
41-10218-459	26573-2	Mf 44,0	Mf 44,0	125,0	36,0	125,0	40,0	29,0	2,00
41-10218-462	26575-2	Mf 45,0	Mf 45,0	110,0	36,0	110,0	25,0	29,0	1,00
41-10218-465	26581-2	Mf 46,0	Mf 46,0	140,0	36,0	140,0	40,0	29,0	1,50
41-10218-468	26583-2	Mf 48,0	Mf 48,0	140,0	36,0	140,0	40,0	29,0	1,00